

# DRY BATH CHILLER BAC71-00



# DRY BATH CHILLER BAC71-00

Dry Bath Chillers are reliable, easy to use and maintain. Specially designed to meet application demands of laboratories. Greater energy efficiency and less environmental impact, as well as offering increased temperature ranges and greater stability.

Used in Pharmaceutical, Chemical, Food Safety, Environment, Quality inspection, Laboratory.

Also known as Laboratory Dual Temperature Dry Bath Incubator.

## BAC71-00 DRY BATH CHILLER



### SPECIFICATIONS

|                               |                  |
|-------------------------------|------------------|
| Model                         | BAC71-00         |
| Capacity                      | 4 L              |
| Function                      | Basic model      |
| Temperature Range             | Maintains at 0°C |
| Temperature Uniformity        | ±0.5°C           |
| Cleaning Tank (LxWxH)         | 300x150x100 mm   |
| Outer Dimension (WxDxH)       | 420x230x270 mm   |
| Weight                        | 1.4 kg           |
| Temperature Precision         | ±0.5°C           |
| Operation Ambient Temperature | 8-30°C           |
| Maximum Input Power           | 220              |
| Maximum Output Power          | 180              |
| Heating Power                 | NO               |
| Power Adjustable (%)          | NO               |
| Drain                         | NO               |
| Level Control System          | NO               |
| Power Supply                  | 12 V DC, 7A      |

### OPTIONAL ACCESSORIES

| Accessory Code | Name  | Description                 |
|----------------|-------|-----------------------------|
| LS52215        | Block | 1.5/2.0ml adaptors (6/pack) |
| LS52228        | Block | 0.2 mL 24-well Block        |

| Accessory Code | Name  | Description         |
|----------------|-------|---------------------|
| LS52267        | Block | 2.0 mL 6-well Block |
| LS52280        | Block | 15 mL 6-well Block  |

|         |       |                      |
|---------|-------|----------------------|
| LS52241 | Block | 0.5 mL 12-well Block |
| LS52254 | Block | 1.5 mL 6-well Block  |

|         |       |                           |
|---------|-------|---------------------------|
| LS52293 | Block | 50 mL 3-well Block        |
| LS52306 | Block | 96-well/Flat Bottom Block |

***Centrifugen***

**Centrifugen**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [info@centrifugen.com](mailto:info@centrifugen.com) | Website: [centrifugen.com](http://centrifugen.com)