



AUTOMATIC HYDROGEN AIR GENERATOR GEN41-0500

Hydrogen Air Generator provides hydrogen and pure air simultaneously. They utilize PEM technology to produce highpurity hydrogen gas, no additives required for corrosion and pollution free operation, making our products an ideal choice for laboratory.

Used in Hydrogen & air supply for fuel cells, Pharmaceutical, Gas Chromatography Detectors, Petrochemical, Laboratory, Medical, Research, Industries, Environmental, Clinical, Forensics..

GEN41-0500 AUTOMATIC HYDROGEN AIR GENERATOR

Stainless steel air tank inside
Deoxidization device
Output gas purity is higher
Inside machine use silicon rubber ring (lower content sulfur)
Increased gas output quality
Compact design, easy using, automatically operation, safety



SPECIFICATIONS

Model	GEN41-0500
Environmental Temperature	1-40°C
Humidity	<85%
Nitrogen Purity	Oxygen Content: <3PPM, dew point: -56°C
Flow Rate	0-500 ml / min
Output Pressure	0-0.4 Mpa
Pressure Stability	<0.003 Mpa
Dimension	370x180x33 0 mm
Net Weight	20 kg
Consumption Power	100 W
Power Supply	220 V±10%, 50 Hz



Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: info@centrifugen.com | Website: centrifugen.com